■ 10604030 Black

☐ 10604031 White

10604032 Silver



ACCESSORIES

20100102 colour frame, black 20100102B colour frame, white 20100102C

colour frame, silver

20100202

safety guard, black

20100202B

safety guard, white **20100202C**

safety guard, silver

20100707

iris diaphragm 20100801

gobo holder, M/D size

20100900

hook clamp

20101100

alu-grip clamp 20101200

safety bond

20106013

colour scroller Xpress 13



optical system double condenser + zoom

reflector

55mm dia. aluminium microswitch

double-pole

colour frame 125x125mm

throw

2-15m

beam angle

20°-40°

weight 7kg



This versatile 500W/650W profile spotlight, designed for shorter throws, has a double condenser zoom focus optical system to provide crisp projection of gobos and a brilliant flat beam of between 20° and 40°. Features include a rotating gate, insulated rear handle, hinged lamp tray and double-microswitch interlock for safe lamp replacement.

A colour frame, safety guard, 4 beam shutters and 1.5m mains cable are all included as standard.


Sagomatore da 650W con sistema ottico a doppio condensatore, dall'eccellente precisione e nitida proiezione di gobo. Dispone di alloggiamento ghigliottine girevole, movimento zoom su supporti in teflon e doppio microinterruttore di sicurezza.

Fornito di serie completo di telaio porta-gelatina, rete di protezione, 4 ghigliottine sagomatrici e 1.5m cavo di alimentazione.

COMPATIBLE LAMPS

M38 GY9.5 300W 230V/240V 2950°K 2000hrs
M40 GY9.5 500W 230V/240V 2950°K 2000hrs
T18 GY9.5 500W 230V/240V 3000°K 360hrs
T25 GY9.5 500W 230V/240V 3000°K 360hrs
T26 GY9.5 650W 230V/240V 3050°K 600hrs
T27 GY9.5 650W 230V/240V 3050°K 600hrs

• LDR recommends Philips lamps



PHOTOMETRIC DATA **T27** 2.5 4.2 m ø 2.8 3.2 3.5 3.9 4,6 4.9 5,3 NARROW lux 1.005 770 608 493 407 342 291 251 219 m 、 7 8 9 10 11 12 13 14 15 1,5 2,2 2,9 3,6 4,4 5,1 5,8 6,6 7,3 m ø lux 9.125 4.056 2.281 1.460 1.014 745 570 451 365 2 4 5 6 7 9 m 3 8 10





17