

Gobo Sizing Chart

Manufacturer/Luminaire	Gobo Size (mm)	"K" Layer Size (mm)	Max. Image Size (mm)	Adapter Ring (mm)
Conventionals				
A Size	100	64.9	45	65.2-100
B Size	86	64.9	45	65.2-86
D Size	53.3	48.9	43	49.2-53.3
E Size	37.5	35.3	29	35.6-37.5
G Size	44	41.9	36	42.2-44
M Size	66	64.9	45	65.2-66
Altman				
Master/Micro Ellipse	37.5	35.3	29	35.6-37.5
Shakespeare	86	64.9	59	65.2-86
Chauvet				
Legend 150 R	26.5	23.7	19	24-26.5
Legend 2000/3000/5000	30.9	25.7	20	26-27.9
Q-scan 250	26.5	23.7	19	24-26.5
Q-spot 152	25	23.7	19	24-25
Q-spot 200	25.5	23.7	19	24-25.5
Q-spot 250	36.4	35.3	29	35.6-36.4
Q-spot 500	30.9	25.7	20	26-30.9
Clay Paky				
Alpha Series	37.5	35.3	29	35.6-37.5
Golden Scan	66	64.9	59	65.2-66
Golden Scan HPE/Spot 1200	50	48.9	43	49.2-50
MiniScan HP3	25.5	23.7	19	24-25.5
Stage Scan/Profile Plus/Zoom 1200	50	48.9	43	49.2-50
Super Scan	66	64.9	59	65.2-66
Super Scan Zoom	50	48.9	43	49.2-50
VIP/SIP	31.5	29.9	24	30.2-31.5
VIP/SIP	50	48.9	43	49.2-50
Coemar				
CF 7 HE	25.5	23.7	19	24-25.5
iProfile/iSpot	31.5	29.9	24	30.2-31.5
ProSpot 150/575	31.5	29.9	24	30.2-31.5
ProSpot 250 LX	25.5	23.7	19	24-25.5
Colortran				
5/50	86	64.9	59	65.2-66

Manufacturer/Luminaire	Gobo Size (mm)	"K" Layer Size (mm)	Max. Image Size (mm)	Adapter Ring (mm)
ETC				
Source Four	86	64.9	45	65.2-86
Source Four Jr	66	64.9	45	65.2-66
Revolution	66	64.9	45	65.2-66
Elation				
Design Spot 250/250 Pro/300/575E	26.5	23.7	20	24.4-26.5
Design Spot 1400E	37.5	35.3	29	35.6-37.5
Power Spot 250/575/575IE/700	26.5	23.7	20	24.4-26.5
Vision Scan	26.5	23.7	20	24.4-26.5
High End Systems				
Cyberlight	44	41.9	36	42.4-44
Showgun	64.9	64.9	53	No Ring
Studio Spot CMY/575/xSpot	36.4	35.3	29	35.6-36.4
Studio Spot 250	25	23.7	19	24-25
Techobeam	25	23.7	19	24-25
Martin				
Exterior 1200	53.5	48.9	43	49.2-53.3
Mac III	37.5	35.3	29	35.6-37.5
Mac 250/250+	22.5	21.4	16	21.7-22.5
Mac 500/550/575/700	27.9	25.7	20	26-27.9
Mac 2000	37.5	35.3	29	35.6-37.5
Mania DC3/EF3/PR1	53.3	48.9	43	49.2-53.3
Mania SCK 600/700/800	22.5	21.4	16	21.7-22.5
Mini Mac Maestro	37.5	35.3	29	35.6-37.5
Mini Mac Profile	22.5	21.4	16	21.7-22.5
MX-10	22.5	21.4	16	21.7-22.5
PAL 1200	50	48.9	43	49.2-50
Smart Mac	27.9	25.7	20	26-27.9

Manufacturer/Luminaire	Gobo Size (mm)	"K" Layer Size (mm)	Max. Image Size (mm)	Adapter Ring (mm)
PRG				
Bad Boy	41.9	41.9	31.75	Mfg.'s Carrier*
Robe				
ClubSpot 160CT/250CT/300CT/500CT	26.5	23.7	19	24-26.5
ClubSpot 170 AT/250 AT/575	26.5	23.7	19	24-26.5
ColorSpot 575E AT/700E AT	26.5	23.7	19	24-26.5

ColorSpot 1200E/1200E AT/2500E AT	37.5	35.3	29	35.6-37.5
ImageSpot 250	37.5	35.3	29	35.6-37.5
MS Zoom 250	37.5	35.3	29	35.6-37.5
Scan 250XT/575XT	26.5	23.7	19	24-26.5
Scan 1200XT	53.3	48.9	43	49.2-53.3

Robert Juliat

Robert Juliat "A" Size	100	64.9	59	65.2-100
Robert Juliat "B" Size	86	64.9	59	65.2-86

Selecon

Accent Profile/Aureol	37.5	35.3	28	35.6-37.5
Accliam	66	64.9	59	65.2-66
Arena	100	64.9	59	65.2-100
Condensor 1200	86	64.9	59	65.2-86
Pacific 5.5-13/12-28 Zoom	66	64.9	59	65.2-66
Pacific 14-35/7.5-19 Zoom	86	64.9	59	65.2-86
Pacific 23-50/45-75 Zoom	100	64.9	59	65.2-100
Pacific Fixed Beams	100	64.9	59	65.2-100
Zoomspot 1200	86	64.9	59	65.2-86

SMG

Galileo IV Live 1200	42.9	41.9	36	42.2-42.9
Galileo 575	42.9	41.9	36	42.2-42.9
Giotto Spot 1200	42.9	41.9	36	42.2-42.9
Giotto Spot 250/400	27.9	25.7	20	29.27.9

Vari-Lite

VL1000	37.5	35.3	25	35.6-37.5 + Mfg.'s Carrier*
VL2000 Spot (Static)	Trapeziod	Trapeziod	16	Mfg.'s Carrier*
VL2000 Spot (Rotating)	22.5	21.4	16	21.7-22.5 + Mfg.'s Carrier*
VL2500 Spot (Static)	Trapeziod	Trapeziod	16	Mfg.'s Carrier*
VL2500 Spot (Rotating)	22.5	21.4	16	21.7-22.5 + Mfg.'s Carrier*
VL3000	37.5	35.3	25	35.6-37.5 + Mfg.'s Carrier*
VL3500	37.5	35.3	25	35.6-37.5 + Mfg.'s Carrier*

All manufacturers names, product names & copyrights are owned by their respective companies. PTC/InLight Gobos does not represent or is affiliated with any of the manufacturers listed above.

All information supplied above is for reference only. The information is updated periodically and is believed to be accurate. InLight Gobos is not liable for any inaccurate information.