



GE
Lighting

36953 - DXX

GE Quartzline® T4 - Stage & Studio; Double Ended

• High color rendering (65-70CRI), much better than standard HPS

This product is no longer manufactured.



CAUTIONS & WARNINGS

Caution

- Risk of Burn
 - Allow lamp/fixture to cool before handling.
 - Turn power off before installing lamp.
- Lamp may shatter and cause injury if broken
 - Dispose of lamp in a closed container.
 - Do not use lamp if outer glass is scratched or broken.

Warning

- Risk of Electric Shock
 - Turn power off before inspection, installation or removal.
- Risk of Fire
 - Keep combustible materials away from lamp.
 - Use in enclosed fixture rated for this product.
- Pressurized lamp--unexpected rupture may cause injury, fire, or property damage
 - Avoid direct water, liquid or metal contact.
 - Do not exceed 110% of rated voltage.
 - Do not use lamp if outer glass is scratched or broken.
 - Use in enclosed fixture rated for this product.

GENERAL CHARACTERISTICS

Lamp Type	Halogen - Double-Ended
Bulb	T4
Base	Recessed Single Contact (R7s)
Filament	CC-8
Rated Life (NOM)	75.0 h
Primary Application	Stage & Studio; Double Ended

PHOTOMETRIC CHARACTERISTICS

Initial Lumens (NOM)	21400.0
Color Temperature (NOM)	3200.0 K
Source Size (W) x (H)	0.9 x 0.17 in
Nominal Initial Lumens per Watt (NOM)	26.75

ELECTRICAL CHARACTERISTICS

Wattage (NOM)	800.0
Voltage (NOM)	240.0
Burn Position	Universal burning position

DIMENSIONS

Maximum Overall Length (MOL) (NOM)	3.125 in(79.4 mm)
Light Center Length (LCL) (NOM)	0.950 in(24.1 mm)

PRODUCT INFORMATION

Product Code	36953
Description	DXX
ANSI Code	DXX
Standard Package	Case
Standard Package GTIN	10043168369531
Standard Package Quantity	24
Sales Unit	Unit
No Of Items Per Sales Unit	1
No Of Items Per Standard Package	24
UPC	043168369534