

## T-BRIGHT PLUS RGBW (it.160310)



### Specifiche tecniche

LED type	RGBW5050MULTICHIP
Number of LEDs	45
Lumen MAX	22500
Red lumen (lm)	4500
Green lumen (lm)	9000
Blu lumen (lm)	1400
White lumen (lm)	9000
Lenses	8° 15° 15° x 30° 25° 40° 60°
Filters	None frost 65°
Control type	Protocol USITT DMX512 - RDM Protocol USITT DMX512 - RDM + Wireless (on request)
Functions	RDM/DRS RDM/DRS + touch control panel Wireless DMX receiver
Input range	100 - 240 VAC; 47/63 Hz
Power (W)	340
IP protection rating	64
Sizes l x p x h (mm)	425 x 159 x 365
Weight (Kgs)	9,8
Mounting systems	Surface Truss (optional)

Colour finishing	Black RAL 9005 (standard) Grey RAL 9006 (optional) White RAL 9010 (optional) Any RAL (optional)
Marine Grade treatment	None Yes
Product Category	Wall Washer

## La tua configurazione

LED type	RGBW5050MULTICHIP
Number of LEDs	45
Lumen MAX	22500
Red lumen (lm)	4500
Green lumen (lm)	9000
Blu lumen (lm)	1400
White lumen (lm)	9000
Lenses	8°
Filters	None
Control type	Protocol USITT DMX512 - RDM
Input range	100 - 240 VAC; 47/63 Hz
Power (W)	340
IP protection rating	64
Sizes l x p x h (mm)	425 x 159 x 365
Weight (Kgs)	9,8
Mounting systems	Surface
Colour finishing	Black RAL 9005 (standard)
Marine Grade treatment	None
Product Category	Wall Washer