



# GOBOSERVICE

by Sunland Optics srl

## DATASHEET



# DIVUM 50K



Divum 50K, the latest addition to the Goboservice range, is a powerful projector (thanks to the 600W LED) and versatile thanks to its 8-52 photographic zoom. The internal power supply is IP65 certified and forms an impenetrable barrier to atmospheric agents while the body, classified IP54, remains perfectly suitable for external projects even permanent. Divum ensures maximum creativity, dynamism and flexibility with a brilliant and precise reproduction of graphic designs, logos and animations. Among the accessories: animation disc, contourer, 4-position image change.

## DIVUM 50k

### BODY

Material	Alluminium - Steel
Protection rating IP	IP65/IP54
Protection rating IK	IK09
Insulation Class	I
Surface Finishing	Black Painting RAL 9005

### POWER SUPPLY

Power Mode	600W
	110-240V 50/60Hz

### MAIN FEATURES



Light Source	LED COB	
Colour Temperature	8880 °K	
Source luminous flux	37.100 lm	
Optical System	Zoom lens (8° - 52°)	
Gobo Size	ID 25 mm	
Angular Aperture	8°	52°
Maximum Brightness at 5m	32.360 lux	980 lux
Optical Efficiency	43,6%	41,5%
Total Lumen output	13.000 lm	16.000 lm
Luminous Efficacy	21,6 lm/W	26,6 lm/W

### CONTROL

Protocol: DMX512

### WEIGHT

25 kg



**ACCESSORIES**

Gobo Holder
Image change kit
Gobo Changer
Dynamic Effect
Beam Shaper
Electric plug Schuko IP54
Pole mounting bracket Pro
Extendable Stand
Standard Wheel